

12



M12 FDGA
M12 FUEL
RIGHT
ANGLE DIE
GRINDER


MORE
POWER
THAN PNEUMATIC

4-MODE
SPEED
CONTROL

GREAT
MOBILITY
& ACCESS



MORE POWER THAN PNEUMATIC



4-MODE SPEED CONTROL

OPTIMIZED FOR MOST COMMON ACCESSORIES

RPM MODES & EXAMPLE ATTACHMENTS

1	10,000 RPM Control for Delicate Applications	
2	15,000 RPM Wire Wheel Brush	
3	20,000 RPM Bristle Disc	
4	24,500 RPM Non-Woven Disc Cut Off Disc Abrasive Disc	

GREAT MOBILITY & ACCESS

SAVES TIME. GREAT PORTABILITY.

NO HOSES OR COMPRESSORS

COMPACT TOOL SIZE

119mm

221mm

ACCESSORY COMPATIBILITY

	Carbide Burr	Roloc Abrasive Disc	Flap Wheel	Wire Cup	Wire Wheel*	Non-Woven Pad	Cut-Off Wheel**	Bristle Disc*
1"	✓	✓	✓	✓	✓	✓	N/A	✓
2"	N/A	✓	✓	✗	✓	✓	✓	✓
3"	N/A	✓	✗	✗	✗	✓	✗	✗

*For best performance, let the tool do the work and apply appropriate pressure as necessary
 **For best performance, use high quality and balanced accessories (such as Milwaukee or Pferd) while applying appropriate pressure as necessary

SPECIFICATIONS

Collet Size	6.0 mm & 8.0 mm	4-Mode RPM Control	10,000 / 15,000 / 20,000 / 24,500 rpm
Length	119 mm	Weight (w/3.0Ah battery)	0.8 kg



Distributed by: